

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re the Application of

Toshiya OHTOMO et al.

Application No.: 09/139,296

Filed: August 25, 1998

For: STAGE UNIT, DRIVE TABLE, AND SCANNING EXPOSURE APPARATUS USING  
SAME



ATTN: Application Branch

Docket No.: 101809.01

#412/CFR  
BWP

REQUEST FOR CORRECTED FILING RECEIPT

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

A corrected filing receipt is hereby requested in view of the errors which appear in the original. For the convenience of the Patent and Trademark Office, attached is a photocopy of the original receipt on which the errors have been noted in red.

☒ **PTO ERROR** - As the error was made by the Patent and Trademark Office, it is believed that no fee is due. However, please credit or debit Deposit Account No. 15-0461 as necessary to effect entry of the attached corrections.

☐ **APPLICANT'S ERROR** - In accordance with the provisions of 37 C.F.R. 1.19(h), our Check No. \_\_\_\_\_ in the amount of Twenty Five Dollars (\$25.00) is attached. Please credit or debit Deposit Account No. 15-0461 as necessary to effect entry of the attached corrections.

Respectfully submitted,

James A. Oliff  
Registration No. 27,075

Mario A. Costantino  
Registration No. 33,565

JAO:MAC/ksr

OLIFF & BERRIDGE, PLC  
P.O. Box 19928  
Alexandria, Virginia 22320  
Telephone: (703) 836-6400

DEPOSIT ACCOUNT USE  
AUTHORIZATION  
Please grant any extension  
necessary for entry;  
Charge any fee due to our  
Deposit Account No. 15-0461

RECEIVED  
99 JAN -6 AM 10:05  
TECHNOLOGY CENTER 2000

FILING RECEIPT




UNITED STATES DEPARTMENT OF COMMERCE  
Patent and Trademark Office  
ASSISTANT SECRETARY AND COMMISSIONER  
OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231

101809.01

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTORNEY DOCKET NO.	DRWGS	TOT CL	IND CL
09/139,296	08/25/98	2851	\$1,272.00	<del>7954-151</del>	12	27	7

020593  
PENNIE EDMONDS  
1155 AVENUE OF THE AMERICAS  
NEW YORK NY 10036-2711  
CLIFF & BERRIDGE, PLC  
P.O. BOX 19928  
ALEXANDRIA, VA 22320



*Transferred Out*

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Application Processing Division's Customer Correction Branch within 10 days of receipt. Please provide a copy of the Filing Receipt with the changes noted thereon.

Applicant(s)

TOSHIYA OHTOMO, TOKYO, JAPAN; HIROTO HORIKAWA,  
KANAGAWA-KEN, JAPAN.

CONTINUING DATA AS CLAIMED BY APPLICANT-

THIS APPLN IS A CON OF 08/935,445 09/23/97, WHICH IS A CON  
OF 08/490,497 06/14/95

FOREIGN APPLICATIONS-	JAPAN	156429/1994	06/16/94
	JAPAN	153458/1994	07/05/94
	JAPAN	268546/1994	11/01/94

TITLE

STAGE UNIT, DRIVE TABLE, AND SCANNING EXPOSURE APPARATUS USING THE  
SAME

PRELIMINARY CLASS: 355.